statmedical
we take care

WARMING CABINETS



CONTENTS

MAC MEDICAL – WARMING CABINETS 3

- Single Chamber – Countertop 4
- Single Chamber – Full Height 5
- Dual Chamber – Even Split 6
- Dual Chamber – Thirds Split 7
- Triple Chamber 8

STATION ONE – BLANKET WARMING CABINETS 9

- Desktop 10
- Undercounter 10
- Medium Height 10
- Tall 10

ENTHERMICS – WARMING CABINETS 11

- Comfort Series – Blanket Warmers 12
- Comfort Series – Fluid Warmer 12
- Titan Series – Blanket Warmers 13
- Titan Series – Fluid Warmers 13
- Titan Series – Combination Warmers 14
- IV Fluid Warmers – IV Pod and ivNext 15

statmedical
we take care

MAC MEDICAL
WARMING CABINETS

BLANKETS FLUIDS



Designed for precision, simplicity and performance, Mac warming cabinets deliver reliable temperature control with unmatched ease of use. Independent, digitally controlled heating chambers provide continuous visibility of both actual temperature and set points, while the integrated "Easy Log" data logger automatically records data every 30 minutes and stores up to two years of records – no software required.

±1–3°F	30 min	2–6 hrs
ACCURACY	LOGGING INTERVAL	TYPICAL WARM-UP

CONFIGURATIONS

SINGLE CHAMBER COUNTERTOP



9 models

BLANKETS FLUIDS

SINGLE CHAMBER FULL HEIGHT



8 models

BLANKETS FLUIDS

DUAL CHAMBER EVEN SPLIT



4 models

BLANKETS FLUIDS

DUAL CHAMBER THIRDS SPLIT



8 models

BLANKETS FLUIDS

TRIPLE CHAMBER



2 models

BLANKETS FLUIDS

STANDARD FEATURES

- "Easy Log" data logger
- 30 minute data record intervals
- Temperature and set point display
- Independently controlled chambers
- Rapid warm time
- Fully insulated for uniform heating
- Audible & visual over-temp alarm
- Keyed temperature lock out
- Keyed door lock for single & upper chamber units
- Adjustable feet

OPTIONS

- Glass or stainless steel door
- Right or left hinged door
- Base height: 2", 6" or none (4" standard)
- Mobile base
- Roll out basket
- Recessed unit
- Seismic braces
- Pass through chamber
- Sloping top
- Electronic keypad lock
- Lower chamber door locks (multi-chamber)
- Additional adjustable shelves
- Custom sizes

SINGLE CHAMBER

COUNTERTOP



BLANKETS FLUIDS

SWC151822

SIZE	17.25″ D × 18″ W × 22″ H
CAPACITY	1.3 ft³
BLANKETS	3 – 6
BOTTLES (1L)	9+
TEMP RANGE	90–135°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC182424

SIZE	20.5″ D × 24″ W × 24.5″ H
CAPACITY	3 ft³
BLANKETS	9 – 15
BOTTLES (1L)	20+
TEMP RANGE	90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC242424

SIZE	26.5″ D × 24″ W × 24.5″ H
CAPACITY	4.06 ft³
BLANKETS	12 – 20
BOTTLES (1L)	30+
TEMP RANGE	90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC183024

SIZE	20.5″ D × 30″ W × 24.5″ H
CAPACITY	3.9 ft³
BLANKETS	11 – 19
BOTTLES (1L)	28+
TEMP RANGE	90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC243024

SIZE	26.5″ D × 30″ W × 24.5″ H
CAPACITY	5.27 ft³
BLANKETS	15 – 26
BOTTLES (1L)	42+
TEMP RANGE	90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC182436

SIZE	20.5″ D × 24″ W × 36″ H
CAPACITY	5 ft³
BLANKETS	15 – 25
BOTTLES (1L)	40+
TEMP RANGE	90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC183036

SIZE	20.5″ D × 30″ W × 36″ H
CAPACITY	6.39 ft³
BLANKETS	19 – 31
BOTTLES (1L)	56+
TEMP RANGE	90–160°F
TOLERANCE	±2°F



BLANKETS FLUIDS

SWC242436

SIZE	26.5″ D × 24″ W × 36″ H
CAPACITY	6.7 ft³
BLANKETS	20 – 33
BOTTLES (1L)	60+
TEMP RANGE	90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC243036

SIZE	26.5″ D × 30″ W × 36″ H
CAPACITY	8.65 ft³
BLANKETS	25 – 43
BOTTLES (1L)	84+
TEMP RANGE	90–160°F
TOLERANCE	±2°F

Blanket and bottle capacity are estimated.

SINGLE CHAMBER

FULL HEIGHT



BLANKETS FLUIDS

SWC182464

SIZE	20.5″ D × 24″ W × 64.75″ H
CAPACITY	9.74 ft³
BLANKETS	29 – 48
BOTTLES (1L)	80+
TEMP RANGE	90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

SWC242464

SIZE	26.5″ D × 24″ W × 64.75″ H
CAPACITY	13.6 ft³
BLANKETS	40 – 68
BOTTLES (1L)	120+
TEMP RANGE	90–160°F
TOLERANCE	±3°F



BLANKETS FLUIDS

SWC183064

SIZE	20.5″ D × 30″ W × 64.75″ H
CAPACITY	13.05 ft³
BLANKETS	39 – 65
BOTTLES (1L)	112+
TEMP RANGE	90–160°F
TOLERANCE	±3°F



BLANKETS FLUIDS

SWC243064

SIZE	26.5″ D × 30″ W × 64.75″ H
CAPACITY	17.65 ft³
BLANKETS	52 – 88
BOTTLES (1L)	168+
TEMP RANGE	90–160°F
TOLERANCE	±3°F



BLANKETS FLUIDS

SWC182474

SIZE	20.5″ D × 24″ W × 74.5″ H
CAPACITY	12 ft³
BLANKETS	36 – 60
BOTTLES (1L)	80+
TEMP RANGE	90–160°F
TOLERANCE	±3°F



BLANKETS FLUIDS

SWC242474

SIZE	26.5″ D × 24″ W × 74.5″ H
CAPACITY	16.24 ft³
BLANKETS	48 – 81
BOTTLES (1L)	120+
TEMP RANGE	90–160°F
TOLERANCE	±3°F



BLANKETS FLUIDS

SWC183074

SIZE	20.5″ D × 30″ W × 74.5″ H
CAPACITY	15.6 ft³
BLANKETS	46 – 78
BOTTLES (1L)	112+
TEMP RANGE	90–160°F
TOLERANCE	±3°F



BLANKETS FLUIDS

SWC243074

SIZE	26.5″ D × 30″ W × 74.5″ H
CAPACITY	21.1 ft³
BLANKETS	63 – 105
BOTTLES (1L)	168+
TEMP RANGE	90–160°F
TOLERANCE	±3°F

Blanket and bottle capacity are estimated.
74″ tall models can increase bottle capacity with optional additional shelves.

DUAL CHAMBER

EVEN SPLIT



BLANKETS FLUIDS

DWC182474E

SIZE	20.5″ D × 24″ W × 74.5″ H
UPPER	4.97 ft^3
LOWER	5.24 ft^3
BLANKETS	14–24 / 15–26
BOTTLES (1L)	80+
TEMP RANGE	90–160°F
TOLERANCE	±2°F



BLANKETS FLUIDS

DWC242474E

SIZE	26.5″ D × 24″ W × 74.5″ H
UPPER	6.65 ft^3
LOWER	6.99 ft^3
BLANKETS	19–33 / 20–34
BOTTLES (1L)	120+
TEMP RANGE	90–160°F
TOLERANCE	±2°F



BLANKETS FLUIDS

DWC183074E

SIZE	20.5″ D × 30″ W × 74.5″ H
UPPER	6.39 ft^3
LOWER	6.65 ft^3
BLANKETS	19–31 / 19–33
BOTTLES (1L)	112+
TEMP RANGE	90–160°F
TOLERANCE	±2°F



BLANKETS FLUIDS

DWC243074E

SIZE	26.5″ D × 30″ W × 74.5″ H
UPPER	8.65 ft^3
LOWER	8.99 ft^3
BLANKETS	25–43 / 26–44
BOTTLES (1L)	168+
TEMP RANGE	90–160°F
TOLERANCE	±2°F

Blanket and bottle capacity are estimated.

DUAL CHAMBER

THIRDS SPLIT



BLANKETS FLUIDS

DWC182464T

SIZE	20.5″ D × 24″ W × 64.75″ H
UPPER	2.65 ft³
LOWER	4.82 ft³
BLANKETS	7–13 / 14–24
BOTTLES (1L)	60+
TEMP RANGE	90–160°F
TOLERANCE	±1°F / ±2°F



BLANKETS FLUIDS

DWC242464T

SIZE	26.5″ D × 24″ W × 64.75″ H
UPPER	3.59 ft³
LOWER	6.52 ft³
BLANKETS	10–17 / 19–32
BOTTLES (1L)	90+
TEMP RANGE	90–160°F
TOLERANCE	±2°F



BLANKETS FLUIDS

DWC183064T

SIZE	20.5″ D × 30″ W × 64.75″ H
UPPER	3.45 ft³
LOWER	6.27 ft³
BLANKETS	10–17 / 18–31
BOTTLES (1L)	84+
TEMP RANGE	90–160°F
TOLERANCE	±2°F



BLANKETS FLUIDS

DWC243064T

SIZE	26.5″ D × 30″ W × 64.75″ H
UPPER	4.67 ft³
LOWER	8.48 ft³
BLANKETS	14–23 / 25–42
BOTTLES (1L)	126+
TEMP RANGE	90–160°F
TOLERANCE	±2°F



BLANKETS FLUIDS

DWC182474T

SIZE	20.5″ D × 24″ W × 74.5″ H
UPPER	2.65 ft³
LOWER	6.79 ft³
BLANKETS	7–13 / 20–33
BOTTLES (1L)	80+
TEMP RANGE	90–160°F
TOLERANCE	±1°F / ±2°F



BLANKETS FLUIDS

DWC242474T

SIZE	26.5″ D × 24″ W × 74.5″ H
UPPER	4.06 ft³
LOWER	9.18 ft³
BLANKETS	12–20 / 27–45
BOTTLES (1L)	120+
TEMP RANGE	90–160°F
TOLERANCE	±1°F / ±3°F



BLANKETS FLUIDS

DWC183074T

SIZE	20.5″ D × 30″ W × 74.5″ H
UPPER	3.45 ft³
LOWER	8.82 ft³
BLANKETS	10–17 / 26–44
BOTTLES (1L)	112+
TEMP RANGE	90–160°F
TOLERANCE	±1°F / ±2°F



BLANKETS FLUIDS

DWC243074T

SIZE	26.5″ D × 30″ W × 74.5″ H
UPPER	5.28 ft³
LOWER	11.93 ft³
BLANKETS	15–26 / 35–59
BOTTLES (1L)	168+
TEMP RANGE	90–160°F
TOLERANCE	±1°F / ±3°F

Where two values are shown, the first is the upper chamber and the second the lower chamber.

Blanket and bottle capacity are estimated.

TRIPLE CHAMBER



BLANKETS FLUIDS

TWC183078

SIZE	20.5″ D × 30″ W × 78.75″ H
UPPER	2.88 ft^3
MIDDLE	2.75 ft^3
LOWER	4.73 ft^3
BLANKETS	8–14 / 8–13 / 14–23
BOTTLES (1L)	84+
TEMP RANGE	90–110 / 90–135 / 90–160°F
TOLERANCE	±1°F



BLANKETS FLUIDS

TWC243078

SIZE	26.5″ D × 30″ W × 78.75″ H
UPPER	3.89 ft^3
MIDDLE	3.72 ft^3
LOWER	6.4 ft^3
BLANKETS	11–19 / 11–18 / 19–32
BOTTLES (1L)	126+
TEMP RANGE	90–110 / 90–135 / 90–160°F
TOLERANCE	±1°F

Where three values are shown, they are the upper, middle and lower chamber, in that order. Electrical: 120 V, 12.9 A, 0.9 kWh (avg.), 3071 BTU/hr (avg.).

Blanket and bottle capacity are estimated.

statmedical
we take care

STATION ONE
BLANKET WARMING CABINETS

BLANKETS



Passive heating for quiet, efficient blanket warming.

Station One blanket warmers use passive heating to run quietly and efficiently, with no fans or moving parts to reduce preventative maintenance. An adjustable digital thermostat provides temperatures from 90°F to 140°F, with a large LED display for easy monitoring.

Choose from desktop, undercounter, medium-height and tall cabinets, each with a glass door.

90–140°F
SET RANGE

Passive
NO FANS OR MOVING PARTS

CONFIGURATIONS

DESKTOP



2 models

BLANKETS

UNDERCOUNTER



2 models

BLANKETS

MEDIUM HEIGHT



1 model

BLANKETS

TALL



4 models

BLANKETS

STANDARD FEATURES

- Passive heating: quiet, with no fans or moving parts
- Digital thermostat, 90–140°F
- Large LED temperature display
- Glass door

OPTIONS

- Dolly Cart (Medium Height and Tall)
- Painted sides (Tall)

BLANKET WARMING CABINETS



BLANKETS

SO-65G

Right-hinged door

SIZE	23.5″ D × 23.63″ W × 36″ H
CAPACITY	4.57 ft³
BLANKETS	13 – 22
TEMP RANGE	90–140°F



BLANKETS

SO-65GLHD

Left-hinged door

SIZE	23.5″ D × 23.63″ W × 36″ H
CAPACITY	4.57 ft³
BLANKETS	13 – 22
TEMP RANGE	90–140°F



BLANKETS

SO-65GUC

Right-hinged door

SIZE	23.5″ D × 23.5″ W × 34.25″ H
CAPACITY	4.57 ft³
BLANKETS	13 – 22
TEMP RANGE	90–140°F



BLANKETS

SO-65GUCLHD

Left-hinged door

SIZE	23.5″ D × 23.5″ W × 34.25″ H
CAPACITY	4.57 ft³
BLANKETS	13 – 22
TEMP RANGE	90–140°F



BLANKETS

SO-125G

Right-hinged door

SIZE	23.75″ D × 23.63″ W × 60″ H
CAPACITY	10.57 ft³
BLANKETS	31 – 52
TEMP RANGE	90–140°F



BLANKETS

SO-155GCSS

Stainless sides · Right-hinged door

SIZE	23.75″ D × 23.63″ W × 71.5″ H
CAPACITY	12.17 ft³
BLANKETS	36 – 60
TEMP RANGE	90–140°F



BLANKETS

SO-155GCSSLHD

Stainless sides · Left-hinged door

SIZE	23.75″ D × 23.63″ W × 71.5″ H
CAPACITY	12.17 ft³
BLANKETS	36 – 60
TEMP RANGE	90–140°F



BLANKETS

SO-155G

Painted sides · Right-hinged door

SIZE	23.75″ D × 23.63″ W × 71.5″ H
CAPACITY	12.17 ft³
BLANKETS	36 – 60
TEMP RANGE	90–140°F



BLANKETS

SO-155GLHD

Painted sides · Left-hinged door


SIZE	23.75″ D × 23.63″ W × 71.5″ H
CAPACITY	12.17 ft³
BLANKETS	36 – 60
TEMP RANGE	90–140°F

Blanket capacity is estimated.

statmedical
we take care

ENTHERMICS
WARMING CABINETS

BLANKETS FLUIDS




Enthermics warming cabinets keep blankets and IV and irrigation fluids at safe, precise temperatures where patient care happens.

The Comfort Series brings quiet, patient-friendly warming to the bedside. The stainless steel Titan Series offers blanket, fluid and combination warmers for operating rooms and busy departments. The IV Pod warms IV bags at the point of use.

21	3	7–103
MODELS	PRODUCT LINES	BLANKETS PER CABINET

CONFIGURATIONS

COMFORT SERIES



5 models

BLANKETS FLUIDS

TITAN SERIES



12 models

BLANKETS FLUIDS

IV FLUID WARMERS



4 models

FLUIDS


STANDARD FEATURES

- WarmSafe™ zone heating
- Fan-less, quiet operation
- WarmRight® technology for IV and irrigation fluids
- Stainless steel construction (Titan)
- Digital temperature controls
- Timer for energy efficiency (EC1540, EC2060)

OPTIONS

- Caster base
- Wall mount (IV Pod)
- Countertop mount (IV Pod)
- Pole or stand mount (IV Pod)
- Seismic wall-mount brackets (IV Pod)

COMFORT SERIES



BLANKETS

DC250


SIZE	22″ D × 18.5″ W × 22″ H
CAPACITY	2.5 ft³
BLANKETS	7 – 12
TEMP RANGE	90–160°F



BLANKETS

DC350

SIZE	22″ D × 18.5″ W × 28″ H
CAPACITY	3.5 ft³
BLANKETS	10 – 17
TEMP RANGE	90–160°F



BLANKETS

DC400

SIZE	24.25″ D × 24″ W × 22″ H
CAPACITY	4 ft³
BLANKETS	12 – 20
TEMP RANGE	90–160°F



BLANKETS

DC750

SIZE	24.25″ D × 24″ W × 35″ H
CAPACITY	7.5 ft³
BLANKETS	22 – 37
TEMP RANGE	90–160°F



BLANKETS FLUIDS

DC250L

SIZE	22″ D × 18.5″ W × 22″ H
CAPACITY	2.5 ft³
BAGS (1L)	16
BOTTLES (1L)	12
TEMP RANGE	90–160 / 90–150 / 90–104°F

DC250L temperature range is shown as blankets / irrigation fluids / injection fluids.

Blanket and bottle capacity are estimated.

TITAN SERIES



BLANKETS

EC250

SIZE	23.5″ D × 18.5″ W × 22″ H
CAPACITY	2.5 ft³
BLANKETS	7 – 12
TEMP RANGE	90–160°F



BLANKETS

EC350

SIZE	23.5″ D × 18.5″ W × 28″ H
CAPACITY	3.5 ft³
BLANKETS	10 – 17
TEMP RANGE	90–160°F



BLANKETS

EC400

SIZE	25.75″ D × 24″ W × 22″ H
CAPACITY	4 ft³
BLANKETS	12 – 20
TEMP RANGE	90–160°F



BLANKETS

EC750

SIZE	25.75″ D × 24″ W × 35″ H
CAPACITY	7.5 ft³
BLANKETS	22 – 37
TEMP RANGE	90–160°F



BLANKETS

EC2060

Two doors

SIZE	29.25″ D × 32″ W × 71″ H
CAPACITY	20.6 ft³
BLANKETS	61 – 103
TEMP RANGE	98–160°F



BLANKETS FLUIDS

EC250L

SIZE	23.5″ D × 18.5″ W × 22″ H
CAPACITY	2.5 ft³
BAGS (1L)	16
BOTTLES (1L)	12
TEMP RANGE	90–160 / 90–150 / 90–104°F



BLANKETS FLUIDS

EC350L

SIZE	23.5″ D × 18.5″ W × 28″ H
CAPACITY	3.5 ft³
BAGS (1L)	24
BOTTLES (1L)	24
TEMP RANGE	90–160 / 90–150 / 90–104°F

EC250L and EC350L temperature range is shown as blankets / irrigation fluids / injection fluids.

Blanket and bottle capacity are estimated.

TITAN SERIES



BLANKETS FLUIDS

EC550BL-18

SIZE	21.12″ D × 30″ W × 25.12″ H
CAPACITY	4.75 ft³
BLANKETS	14 – 23
BAGS (1L)	20
BOTTLES (1L)	24
TEMP RANGE	90–160 / 90–150 / 90–104°F



BLANKETS FLUIDS

EC550BL-24

SIZE	28.5″ D × 30″ W × 25.12″ H
CAPACITY	5.5 ft³
BLANKETS	16 – 27
BAGS (1L)	48
BOTTLES (1L)	30
TEMP RANGE	90–160 / 90–150 / 90–104°F



BLANKETS FLUIDS

EC1350BL

SIZE	21.25″ D × 30″ W × 75″ H
UPPER	3.9 ft³
LOWER	9.4 ft³
BLANKETS	11–19 / 28–47
BAGS (1L)	20
BOTTLES (1L)	24
TEMP RANGE	90–160 / 90–150 / 90–104°F



BLANKETS FLUIDS

EC1540

SIZE	34.5″ D × 22″ W × 72.5″ H
UPPER	7.7 ft³
LOWER	7.7 ft³
BLANKETS	23–38 / 23–38
BAGS (1L)	–
BOTTLES (1L)	60
TEMP RANGE	98–160°F



BLANKETS FLUIDS

EC1850BL

SIZE	28.5″ D × 30″ W × 75″ H
UPPER	5.4 ft³
LOWER	13 ft³
BLANKETS	16–27 / 39–65
BAGS (1L)	24
BOTTLES (1L)	30
TEMP RANGE	90–160 / 90–150 / 90–104°F

Temperature range is shown as blankets / irrigation fluids / injection fluids. EC1350BL and EC1850BL tolerance: irrigation +0/−3°F, injection +0/−2°F. EC550BL-24 also holds 36 × 0.5 L bottles.

Blanket and bottle capacity are estimated. Two-compartment blanket counts are shown upper / lower.

IV FLUID WARMERS



FLUIDS

POD-001

Single pod

SIZE	8″ D × 13.2″ W × 7.1″ H
HOLDS	1 bag (0.5–3 L)
TEMP RANGE	95–104°F
TOLERANCE	+0/−3°F



FLUIDS

POD-002

Double pod

SIZE	8″ D × 13.2″ W × 14.2″ H
HOLDS	2 bags (0.5–3 L each)
TEMP RANGE	95–104°F
TOLERANCE	+0/−3°F



FLUIDS

POD-003

Triple pod

SIZE	8″ D × 13.2″ W × 21.2″ H
HOLDS	3 bags (0.5–3 L each)
TEMP RANGE	95–104°F
TOLERANCE	+0/−3°F



FLUIDS

ivNext

SIZE	23.5″ D × 18.5″ W × 22″ H
HOLDS	10 bags (1 L)
TEMP RANGE	90–104°F
TOLERANCE	+0/−2°F

IV Pod (POD-001 to POD-003) warms a bag to 104°F in 30 minutes or less.



STAT MEDICAL CANADA

10 Abbott Court, Unit 201
Brantford, ON N3S 0E7
1-866-783-4076
sales@statmedicalcanada.com

statmedicalcanada.com